MENTAL ABILITY

1. In a row of boys, if A who is 10th from the left and B who is 9th from the right interchange their positions, A becomes 15th from the left. How many boys are there in the row?

| (1)*23 | (2) | 31 |
|--------|-----|----|
| (3) 27 | (4) | 28 |

2. If you write down all the numbers from 1 to 100, then how many times do you write 3?

| (1) 11 | (2) 18 | |
|--------|--------|--|
| (3)*20 | (4) 21 | |

3. There are six persons A, B, C, D, E and F. C is the sister of F. B is the brother of E's husband. D is the father of A and grandfather of F. There are two fathers, three brothers and a mother in the group. Who is the mother?

| (1) | А | (2) | В |
|-----|---|------|---|
| (3) | С | (4)* | Е |

4. If in the word 'DISTURBANCE', the first letter is interchanged with the last letter, the second letter is interchanged with the tenth letter and so on, which letter would come after the letter T in the newly formed word?

| (1)*S | (2) | Ι |
|-------|-----|---|
| (3) T | (4) | Ν |

- 5. In a certain code language,
 - '134' means 'good and tasty';
 - '478' means 'see good pictures' and
 - '729' means 'pictures are faint'.

Which of the following digits stands for 'see'?

- (1) 9 (2) 2
- (3) 1 (4)* 8
- 6. Three of the following four are alike in a certain way and so form a group. Which one does not belong to that group?
 - (1) Tooth (2)* Chin
 - (3) Nose (4) Ear

Find the missing number(s) in Q.7 to Q.9:



NSSO/CLASS 10

SPACE SCIENCE

- 11. Who had propounded the planetary laws?
 - (1) Newton
 - (2)*Kepler
 - (3) Galileo
 - (4) Copernicus
- **12.** The device employed to measure the diameters of stars and our galaxy (Milky Way) is called:
 - (1) Photometer
 - (2) Barometer
 - (3) Viscometer
 - (4)*Interferometer
- **13.** Who first suggested the 'passing star hypothesis' to describe the origin of the solar system?
 - (1) Rene Descartes
 - (2)*Louis de Buffon
 - (3) Issac Newton
 - (4) Albert Einstein
- **14.** Paris based minor planet centre of International Astronomical Union (IAU) has given a new name to the planet Pluto and it is
 - (1)*134340
 - (2) 238380
 - (3) Iris
 - (4) Nixe
- **15.** The new name of the celestial body Xena-2003 UB 313 given by IAU is
 - (1) Sires
 - (2)*Iris
 - (3) Grabrili
 - (4) Daysomia
- 16. Hubble's "constant" is constant in
 - (1) time
 - (2)*space

- (3) space and time
- (4) our Galaxy but different in others
- **17.** Which of the following types of galaxies are reddest in color?
 - (1) Spirals
 - (2)*Ellipticals
 - (3) Lenticulars
 - (4) Irregulars
- **18.** Recall that *Hubble's law* is written $v = H_0 d$, where v is the recession velocity of a galaxy located a distance d away from us, and H_0 is *Hubble's constant*. Suppose $H_0 = 65$ km/s/Mpc. How fast would a galaxy located 500 megaparsecs distant be receding from us?
 - (1) 65 km/s
 - (2) 65 Mpc/s
 - (3)*32,500 km/s
 - (4) 9 km/s
- **19.** Cosmological redshift is the result of
 - (1) the high speeds at which galaxies move within clusters.
 - (2)*the expansion of the universe.
 - (3) very old, red stars in distant galaxies.
 - (4) supermassive black holes.
- **20.** You observe the peak brightnesses of two *white dwarf supernovae*. Supernova A is only 1/4 as bright as Supernova B. What can you say about their relative distances?
 - (1)*Supernova A is twice as far away as Supernova B.
 - (2) Supernova A is 4 times as far away as Supernova B.
 - (3) Supernova B is 4 times as far away as Supernova A.
 - (4) Supernova B is twice as far away as Supernova A.

- **21.** The Sun is currently undergoing *mass loss*. What do we call the physical manifestation of this process?
 - (1) Sunspots
 - (2)*The solar wind
 - (3) The Sun's photosphere
 - (4) The Sun's chromosphere
- **22.** How did Hubble show that the Andromeda 'nebula' is actually a separate galaxy?
 - (1) He recorded the emission spectrum from it.
 - (2) He measured the distances to all of its globular clusters.
 - (3) He was able to see planets orbiting stars in the Andromeda galaxy.
 - (4)*He photographed individual stars in it, such as Cepheid variable stars.
- **23.** If a star with a mass greater than 20 Suns collapses to become a black hole, what might this event look like from Earth?
 - (1)*A gamma-ray burst.
 - (2) It will remain invisible from Earth.
 - (3) A normal nova, as opposed to a supernova.
 - (4) A region of self-sustaining star formation.
- **24.** In what form is most of the matter in a typical galaxy (or cluster of galaxies)?
 - (1) Dark energy
 - (2) Young, bluish, high-temperature stars
 - (3)*Dark matter
 - (4) Old, reddish-colored stars
- **25.** What makes an object like this appear as a 'pulsar' when seen from Earth?



- (1) It is caught up in the accretion disk around a quasar, causing it to be eclipsed by a large black hole.
- (2)*Beams of radiation sweep past the Earth as the object rotates.
- (3) It is moving rapidly towards the Earth, giving it a large blueshift.
- (4) The object grows and shrinks many times per second, thus changing its apparent brightness.
- 26. If the original object (of which this is a leftover) had been much more massive, so that this remnant weighed several times the Sun's mass, what would have happened here?
 - (1) A new star would have begun hydrogen fusion.
 - (2) The object would have slowed its rotation, nearly ceasing to rotate.
 - (3)*A black hole would have formed.
 - (4) The host galaxy would have developed a new spiral arm.
- 27. Imagine you could somehow add a great deal of hydrogen gas to the object at this nebula's centre. If you added enough hydrogen to suddenly increase its mass well above 1.4 solar masses, what would happen?



- (1) The nebula would contract back onto the object, forming a main-sequence star.
- (2) A globular star cluster would form.
- (3) The expansion of the universe in the host galaxy would suddenly reverse.
- (4)*It would explode as a type Ia supernova.

NSSO / CLASS 10

| 28. | A planet is moving in an elliptical orbit. If T, V, E and L are respectively the kinetic energy, potential energy, total energy and the magnitude of the angular momentum of the planet then the true statement out of the following is: (1) T is conserved (2) V is always positive (3)*E is always negative (4) L is conserved but the direction vector L continuously changes | 34. | Big Bang was an explosion that occurred (1) 10 Billion years ago (2)*15 Billion years ago (3) 20 Billion years ago (4) 25 Billion years ago Light from the star, Alpha Centauri, which is nearest to the earth after the sun, reaches the earth in (1) 4.2 seconds (2)*4.2 |
|-----|--|-----|---|
| 29. | If the mass of a ball is 5 kg on earth, then what would be its mass on Jupiter?(1)*5 kg(2) 5000 kg(3) 40000 kg(4) 50 kg | 36. | (3)*4.2 years (4)*42 years (4)*42 years (1) Moons are located inside it, rings are located outside. (2)*Rings are located inside it, moons are located |
| 30. | The time interval between two successive occurrences of a specific type of alignment of a planet (or the moon) with the sun and the earth is referred to as: (1) a conjunction (2) an opposition | | (3) Only applies to the gas giant planets.(4) Defines the distance at which asteroids transition from stony and metal-rich to black and carbon-rich. |
| 21 | (1) a conjunction (2) an opposition (3) a sidereal period (4)* a synodic period | 37. | Which of the following is not a part of a comet?(1) Nucleus(2) Coma |
| 31. | Of the following four times, which one best represents the time it takes energy generated in the core of the sun to reach the surface of the sun and be radiated? | 38. | (3) Tail (4)* StreamContrary to popular belief, a comet actually has how many tails? |
| | (1) Three minutes | | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| | (2) Thirty days(3) One thousand years(4)*One million years | 39. | Astronomers are interested in comets primarily because |
| 32. | What gas is the main component of the atmosphere of Mars? | | (1)*they tell us about conditions in the solar nebula from which planets formed. |
| | (1) Nitrogen (2) Carbon dioxide | | (2) a collision with one would pose a major threat to continued life on the Earth. |
| | (3)*Sulphur dioxide (4) All of these | | (3) they tell us about conditions in interstellar space. |
| 33. | During the solar system formation, where did iron | 40. | (4) astronomers are not interested in comets. |
| | and ices of volatiles condense, respectively?(1) Iron and volatiles both in the inner zone | | So far, the most successful technique for detecting extrasolar planets has been |
| | (2) Iron and volatiles both in the outer zone | | (1)*measuring the doppler shift of a star |
| | (3)*Iron in the inner zone, volatiles in the outer zone | | (2) direct imaging of the planet with a telescope |
| | (4) Iron in the outer zone, volatiles in the inner zone | | (3) no extrasolar planets have been detected |
| | | | (4) both (2) and (3) |

INTERACTIVE SECTION

- 41. Which of the following men wrote the book "On | 47. If a star is said to be in hydrostatic equilibrium, it the Revolutions of the Heavenly Spheres"?
 - (1) Kepler (2) Euclid
 - (3)*Copernicus (4) Newton
- 42. The two most common elements in the solar system are
 - (1)*hydrogen and helium
 - (2) hydrogen and oxygen
 - (3) helium and nitrogen
 - (4) helium and oxygen
- **43.** What is the outermost layer of the sun?
 - (1) Core
 - (2)*Corona
 - (3) Photosphere
 - (4) Chromosphere
- 44. Sunspots appear dark because they are
 - (1)*slightly cooler than the surrounding photosphere
 - (2) slightly hotter than the surrounding photosphere
 - (3) a different composition than the rest of the photosphere
 - (4) they do not appear any darker
- **45.** What is the correct spectral class sequence in order from highest to lowest temperature?
 - (1)*OBAFGKM
 - (2) O B F M A G K
 - (3) ABFGKKO
 - (4) M K G F A B O
- 46. Which of the following types of stars can be found on the main sequence of the H-R diagram?
 - (1) White dwarfs
 - (2)*Red dwarfs
 - (3) Giants
 - (4) Supergiants

- is not contracting because
 - (1) the ratio of H to He is equal
 - (2) its temperature is too low
 - (3)*its internal pressure balances its gravity
 - (4) it is too dense to contract further
- **48.** All four of the outer planets have
 - (1)*rings
 - (2) solid surface
 - (3) much smaller than inner planets
 - (4) all of the above
- 49. Which best characterizes the order of stages in the Moon's history?
 - (1) Cratering, differentiation, slow surface evolution, flooding
 - (2)*Differentiation, cratering, flooding, slow surface evolution
 - (3) Cratering, differentiation, flooding, slow surface evolution
 - (4) Flooding, differentiation, cratering, slow surface evolution
- **50.** Which stage of planet evolution is dominated by micrometeorites on Mercury?
 - (1)*Slow surface evolution
 - (2) Cratering
 - (3) Differentiation
 - (4) Flooding
- **51.** For which of the following do magnetic fields not play an important role?
 - (1)*Coronae on Venus
 - (2) Sunspots
 - (3) Solar corona
 - (4) Earth's auroras

NSSO / CLASS 10

- 52. The solar corona is
 - (1)*hotter than the solar photosphere
 - (2) denser than the solar photosphere
 - (3) denser than the solar interior
 - (4) the primary source of the sun's energy
- **53.** Why is the average crater size larger on Venus than on our moon?
 - (1) The moon's surface is younger.
 - (2) Venus has volcanos.
 - (3)*Venus has a thicker atmosphere.
 - (4) Water on Venus erodes small craters.
- **54.** Gravity is important to which of the following stages of Earth's evolution?
 - (1) Cratering
 - (2) Differentiation
 - (3) Slow surface evolution
 - (4)*All of the above
- **55.** An astronomer discovers a new planet in the Solar System. She then observes a small moon in circular orbit around the new planet. She measures the moon's distance from the planet and the speed of the moon in its orbit. What can she determine from this information?
 - (1)*The mass of the planet.
 - (2) The mass of the moon.
 - (3) Both the planet mass and the moon mass.
 - (4) The density of the moon.
- 56. In comparing Venus with Earth, we find
 - (1) venus has a negligible amount of CO_2 in the atmosphere compared to Earth
 - (2) both have liquid water oceans
 - (3)*venus shows no evidence for plate tectonics, consistent with a more buoyant pliable crust
 - (4) composite volcanos are common on both planets

- 57. Sinuous rilles are
 - (1)*lava channels near maria on the moon
 - (2) water channels on Mars
 - (3) lobate scarps on Mercury
 - (4) bright loops in the solar corona seen during a solar eclipse
- **58.** Using the principles of planet formation, what is the expected order from low density to high density?
 - (1) Jupiter, Mercury, Venus, Mars
 - (2) Mercury, Venus, Mars, Jupiter
 - (3) Mars, Jupiter, Venus, Mercury
 - (4)*Jupiter, Mars, Venus, Mercury
- **59.** Earth's atmosphere _____ than Mars' atmosphere.
 - (1) is thinner
 - (2)*is thicker
 - (3) is redder
 - (4) has a higher fraction of carbon dioxide
- **60.** Why is Mars' moon Deimos covered with more meteoritic debris than its other moon Phobos?
 - (1)*Because Deimos is farther from Mars.
 - (2) Because Deimos has a smaller escape velocity.
 - (3) Because Deimos is not spherical.
 - (4) Because Deimos orbits Mars in the prograde direction.

* denotes answer.



END OF THE EXAM